Received: 12th September, 2026 Revised: 15th October, 2026 Accepted: 30th October, 2026

CARITAS UNIVERSITY AMORJI-NIKE, EMENE, ENUGU STATE

Caritas Journal of Management, Social Sciences and Humanities

CJMSSH, Volume 5, Issue 2 (2026)

Mindfulness And Wellness Web-Based System

Abundance M. Akpan.,
Blessing C. Mbanefoh*
Ibuchukwu Ezeah

Authors' Affiliation
Department of Computer Science,
Caritas University, Amorji-Nike,
Enugu State, Nigeria.
email address:
blessingmbanefoh448@gmail.com

Keywords:
Mindfulness,
Wellness Application,
Mental Health,
Stress Management,
Meditation,
Mood Tracking,
Self-Care,
Software Development,
User Well-Being.

Abstract

In this paper the conceptual development and user testing of mindfulness and wellness applications is carried out through a user-centered approach. The paper provides an analysis of usability and effectiveness, benefits and limitations of mental health applications designed to combat anxiety and stress, and improve general wellbeing. The research involved reviewing the work of several other authors such as Firth et.al. (2017), Perski et.al. (2021) and Reiner et.al (2013) who offer perspectives on existing treatment approaches, and limitations and potential of mindfulness applications. The findings reveal that many apps suffer from limited or little personalized treatment, poor mechanisms for maintaining user involvement, and neglect of users' health and well-being. The paper offers a solution to the existing limitations by employing a design which involves gamification, adaptive content and personalized mindfulness exercises based on a user's progress, needs and preferences. It also discusses the potential for the inclusion of lifestyle-management and physical-wellness related features as part of a more inclusive digital health experience. The study suggests that understanding of the users' needs, behaviors and interactions can inform the development of effective and engaging mindfulness apps. This contributes to digital health by providing a user-centered framework for development of personalized, engaging and adaptive mindfulness and wellness apps capable of supporting long-term mental health benefits.

Introduction

The importance of mental health and personal wellbeing has grown significantly in today's society where there is a growing academic burden, work responsibilities, financial pressures and other daily stressors. These challenges can lead to stress, anxiety and emotional burnout, making it important to provide easy-to-access ways to maintain mental, emotional and psychological health. The use of mindfulness and wellness practices has come into focus as useful tools for managing stress, emotional awareness, and healthy lifestyles.

Mindfulness is a focused attention on the here and now without judgment and wellness is a mental, emotional, physical and social well-being. Stress management techniques like meditation, breathing exercises, guided relaxation, and mood reflection can help promote a healthy lifestyle and encourage stress management practices.

Typically, mindfulness activities have been taken up with the help of professionals, books and structured wellness programmes. But these methods can be expensive, time consuming and inefficient. The introduction of the Information and Communication Technology (ICT) has opened opportunities for digital applications that offer convenient access to mindfulness and/or wellness activities. Features of a mindfulness and wellness application might include guided meditation, breathing exercises, mood monitoring, wellness reminders, and progress monitoring. These features may assist individuals to practice mindfulness regularly and learn healthy self-care. Yet, issues of usability, accessibility, user privacy and long-term engagement are essential components to effective digital wellness solutions.

Thus, the design and implementation of an interactive and accessible platform for mindfulness activities and personal wellness management based on a mindfulness and wellness application was the core of this study. The application is designed to raise awareness, aid the management of stress on a day-to-day basis and health and wellbeing practices as an additional resource to professional mental health support, if needed, see fig. 1 below.




Fig. 1. Expert / Appointment Screen

Methodology

This research adopts a design technological know how learn (DSR) methodology supported through Agile iterative development and combined method assessment ideas. Layout science learn is acceptable simply because the examine aims to strengthen and evaluate a mindfulness and well being net dependent method that addresses barriers stumbled on in latest electronic well being applications. The process development approach follows Agile principles, permitting incremental layout, prototyping, testing, and refinement verified on consumer feedback. This promises flexibility, personalization, and usability all via the development lifecycle. We shall use both quantitative and qualitative tools to appraise the effectiveness of the proposed process. By using questionnaires, wellness rating scales, and system usage metrics we collected Quantitative data while gathering qualitative data via interviews and user experience feedback. Sincerely speaking, this combined approach promises that the built strategy is technically incredible as well as individual friendly, and is indeed capable of bettering mental and emotional well-being.

Review of Related Literature

Firth et al. (2017) conducted a meta-analysis on how effective interventions using smart phones are to treat anxiety and depression, including mindfulness apps like Headspace and Calm. They included both randomized controlled trials and quasi-experimental trials in their meta-analysis, yielding overall quantitative evidence for psychological outcomes. Although the review provided a general overview of app-based interventions, the majority of studies reviewed were of a short-term duration and the content and engagement of the apps were variable. It did not separate out the effects of specific elements, including guided meditation, breathing, sleep support, etc. The study thus reinforces the importance of continuous evaluation and the need for a more precise evaluation of the characteristics that are conducive to users' well-being.

Perski et al. (2021), User Engagement with Mobile Health Apps, examined the engagement of users with mobile health applications, such as mindfulness apps. Patterns and factors of engagement and sustained use were studied using questionnaire, application usage data, and interviews. The findings offered tangible suggestions to improve user experience, identified issues such as lack of time, perceptions of effectiveness, and technical problems. However, by virtue of its observational nature and data being self reported, it allowed limited inferences of causality, and in certain fields, limited its wider applicability. The results highlight the significance of creating user-friendly, attractive applications and determining the effect of specific features on the likelihood of app usage.

A randomized controlled trial was used by Reiner et al., (2013), “Mindfulness Apps for Chronic Conditions,” to assess the efficacy of a mindfulness application to a control condition for chronic pain and stress. These results were evaluated using common psychophysiological questionnaires and scores, such as those for anxiety, pain and heart-rate variability, over the course of eight weeks. A broad perspective on potential effects was provided by the controlled design and combination of the outcome types. However, the small sample size and brief follow-up time limited the ability to draw conclusions regarding longer-term outcomes and self-reported measures could have resulted in response bias. This study highlights the need for the study of digital mindfulness tools on a longer time horizon and larger user cohorts.

Linardon (2023) published a systematic review and meta-analysis of 70 RCTs with 9258 participants on Attrition & Engagement in Mindfulness App RCTs. The review found an average attrition rate of about 24.7% which increased to about 38.7% in larger studies. It also noted that self-report of engagement varied in some instances, precluding cross-study comparisons. Other issues affecting interpretation of sustained use arise due to differences between participation in trials and participation in the real world, such as compensation and face-to-face enrolment. The results provide evidence for the importance of user retention and regular usage of mindfulness apps as a design and evaluation criterion.

Macrynikola et al. (2024) conducted a systematic review of 28 RCTs with about 5,963 participants and 67 between-group comparisons, focusing on the mechanisms of change found in mindfulness apps. The review covered processes involved in change such as repetitive negative thinking, attention regulation, decentering, awareness, acceptance and

positive affect. Some effects of improving these processes persisted for two to six months, while others remained more consistent. Results were mixed for other mechanisms, self-compassion was infrequently evaluated, and mediation was generally not tested. The review recommends to account not only for the symptoms, but also for the psychological processes which mindfulness activities are designed to target when designing/examining applications.

Gamification, Personalization & AI (2020-2024). As discussed by the literature in the reference document (Perski et al., 2021; Yardley et al., 2015; Lau et al., 2022; Deterding, 2019; Linardon, 2023), initial indications are that personalization appears to be more common than contextual adaption.

The new features of AI, like journaling and context-specific prompts, have demonstrated user satisfaction and short-term positive affective outcomes, though the referenced studies are reported as having small samples and not sufficiently clinically validated. Evidence of gamification is also variable – streaks and badges may be of benefit to users, but solid evidence of sustained mental-health benefits is less compelling. These conversations together suggest that it is important to choose the right, user-focused features, not just personalization, AI or rewards to improve wellness.

An Overview of the Available Literature and General Research Gap.

From the literature reviewed, mindfulness applications have been found to have a positive impact on certain psychological health dimensions, yet there are also ongoing issues regarding the long-term effectiveness of intervention, users' engagement with the application, the evaluation of its features, personalization and the consistency of measures. Firth et al. (2017) noted the absence of long-term and feature-specific evidence, Perski et al. (2021) found that research lacked sustained engagement and Reiner et al. (2013) illustrated the need for larger sample sizes and longer follow-up. Linardon (2023) also demonstrated that measurement and measurement of engagement are complicated by attrition and inconsistent reporting of engagement, and Macrynikola et al. (2024) uncovered several promising pathways of change and measurement gaps in the measurement of engagement. However, the existing research on gamification, personalization, and AI indicates a need for more robust assessment of these capabilities.

General Research Gap: Although there is increasing research interest in the use of digital mindfulness interventions, there is still a need for a user-centred and integrated mindfulness and wellness app that combines easy-to-access mindfulness activities, personal wellness monitoring and engagement-support features in a single coherent solution. The evidence from existing studies and approaches reviewed demonstrates limited, and inconsistent, evidence of how specific application features, sustained engagement, and personalization are synergistic to support continuous wellness. In view of this, this research concentrates on designing and implementing an application that incorporates mindfulness and wellness features in a user-friendly interface that is accessible, engaging and easy to use for personal wellness activities monitoring.

Results and Discussion

Results

The study concluded that the current available mindfulness and wellbeing apps offer valuable digital means to assist with feelings of stress, emotional awareness, and mindfulness practice and overall wellbeing. Guided meditation, breathing exercise, monitoring mood, and wellness reminders and progress monitoring are common features identified.

It also found that there are some areas which the current applications lack. A wide range of applications offer some level of personalization, but fail to offer good ways to keep users engaged, and to focus on their wider health and wellbeing needs. These restrictions suggest systems that are able to be adaptive to users' needs, preference and progress.

The literature further showed that user engagement is an important factor in the effectiveness of digital mindfulness applications. Some factors that can affect continued use were identified by Perski et al. (2021) including lack of time, effectiveness and technical issues. There was also significant attrition in mindfulness-app trials that Linardon (2023) 's review noted, highlighting the challenge of keeping people engaged in the program.

The other finding relates to personalization and adaptability. The literature reviewed suggests that there is increasing emphasis on personalization within digital wellness apps and novel AI elements like journaling and contextual prompts have yielded user satisfaction and positive short-term impacts. But the jury is not yet in on their long-term mental-health benefits.

The study thus aims to develop a user-centered mindfulness and wellness application that combines easy-to-use mindfulness activities and personal wellness monitoring and engagement-supportive features under one roof, see fig. 2 below. Adaptive content, tailored mindfulness exercises, gamification by progressing needs and preferences will be included in the proposed design.

Discussion

The results show that the provision of mindfulness content via a digital platform alone may not be enough to facilitate the continued use of the mindfulness program. Usability, accessibility, personalization, privacy and sustained engagement are important considerations for a successful wellness application. This finding is supported by the literature reviewed, which revealed that technical issues and time and users' perception of effectiveness were factors affecting engagement.

These problems are addressed by the proposed system using user-centred system design approach. The system is not designed to offer the same experience for all learners; instead, it is designed to offer tailored exercises and content based on users' requirements, inclinations and development, see fig. 3. This is aligned with the identified research gap in relation to limited personalization integration and continuous monitoring of wellness.




Fig. 2. Login / Create Account Screen




Fig. 3. Onboarding Quiz Screen

Gamification is also added to boost user engagement. The use of features like streaks and badges can help to drive consistent engagement with the app, see fig. 4 below. The literature reviewed, however, suggests that there is some mixed evidence surrounding the long-term mental health benefits of gamification. Gamification should therefore be used as an engagement support mechanism, more than a measure of therapeutic effectiveness.

The results also corroborate the need for an integrated wellness approach. The suggested application does not have to focus only on meditation, but can include mood tracking, wellness exercises, reminders and progress tracking, see fig. 5. This enables a more comprehensive digital wellness context in which users can engage in their daily wellness self-care practices.



Fig. 4. Lesson Screen



Fig. 5. Mood Tracker

The general discussion suggests that the key value that the proposed system brings to the table is its effort to integrate mindfulness practices with personalization, wellness monitoring, and engagement features in a single, user-friendly platform. This directly addresses the research gap as discussed in the reviewed literature.

Conclusion

The study concludes that web-based mindfulness and wellness applications could offer a convenient tool for stress management, practicing mindfulness, emotional awareness and overall wellbeing. The literature reviewed shows that digital interventions can serve as valuable mindfulness tools, but current tools still present some difficulties with personalization, usability and engagement as well as challenges regarding long-term effects and individual features of the application.

Hence the study suggests the user-centred system for mindfulness and wellness in the web environment which integrates mindfulness exercises and wellness monitoring and engagement-support mechanisms. The proposed system puts special focus on adaptive content and tailored activities according to users requirements, preferences and advancements. The evidence reviewed suggests the following conclusion: Future mindfulness applications should not be simply about increasing the number of features. Rather, development should focus on features that are useful to users; readily accessible; interesting and able to facilitate ongoing wellness activities. While personalization, gamification and the new artificial intelligence features might help achieve this goal, they need to be tested to prove their long-term efficacy.

Overall, the proposed system offers a blueprint for creating a more comprehensive and intuitive digital wellbeing tool. It is focused on accessibility, personalization, user engagement, and monitoring for wellness, which contributes to the gaps in the literature on this topic and offers a foundation for

future development and testing of digital mindfulness and wellness apps.

References

Deterding, C. S. (2019). Gamification in management: Between choice architecture and humanistic design. *Journal of Management Inquiry, 28*(2), 131–136. https://doi.org/10.1177/1056492618790912

Firth, J., Torous, J., Nicholas, J., Carney, R., Rosenbaum, S., & Sarris, J. (2017). Can smartphone mental health interventions reduce symptoms of anxiety? A meta-analysis of randomized controlled trials. *Journal of Affective Disorders, 218*, 15–22. https://doi.org/10.1016/j.jad.2017.04.046

Lau, N., O'Daffer, A., Colt, S., Yi-Frazier, J. P., Palermo, T. M., McCauley, E., & Rosenberg, A. R. (2022). Android and iPhone mobile apps for psychosocial wellness and stress management: Systematic search in app stores and literature review. *JMIR mHealth and uHealth, 10*(2), e26474. https://doi.org/10.2196/26474

Linardon, J. (2023). Attrition and engagement in mindfulness-based mobile app interventions: A systematic review and meta-analysis of randomized controlled trials *Journal of Behavioral Medicine, 46*(2), 123–138. https://doi.org/10.1007/s10865-022-00346-4

Macrynikola, N., Weisel, K. K., Linardon, J., & Karyotaki, E. (2024). Mechanisms of change in mindfulness-based apps: A systematic review and meta-analysis. *Clinical Psychology Review, 103*, 102244. https://doi.org/10.1016/j.cpr.2024.102244

Perski, O., Blandford, A., West, R., & Michie, S. (2021). Conceptualizing engagement with digital behaviour change interventions: A systematic review using principles from critical interpretive synthesis. *Translational Behavioral Medicine, 11*(2), 426–436. https://doi.org/10.1093/tbm/ibaa086

Reiner, K., Tibi, L., & Lipsitz, J. D. (2013). Do mindfulness-based interventions reduce anxiety and depression? A meta-analytic review. *Clinical Psychology Review, 33*(6), 763–771. https://doi.org/10.1016/j.cpr.2013.05.005

Yardley, L., Spring, B. J., Riper, H., Morrison, L. G., Crane, D. H., Curtis, K., & Blandford, A. (2015). Understanding and promoting effective engagement with digital behavior change interventions. *American Journal of Preventive Medicine, 51*(5), 833–842. https://doi.org/10.1016/j.amepre.2016.06.015